



Hinge, removable




- For constructing large, heavy doors
- Removable
- For left and right stop
- Externally mounted: Opening angle approx. 180°
- Internally mounted: Prevents unauthorized disassembly, e.g. in the case of safety equipment

Product description



Technical data


Groove	
	N
8; 10	300

No.	Material
3842555572	
3842555574	Hinge: diecast zinc Cover cap: PP, signal gray Fastening material: Steel; zinc-plated
3842555576	
3842544552	Hinge: diecast zinc Cover cap: PA; black Fastening material: Steel; zinc-plated


No.	Material
3842544553	Hinge: diecast zinc Cover cap: PA; black Fastening material: Steel; zinc-plated
3842544554	

Dimensions


Hinge, removable




Hinge, removable



Hinge, removable



Delivery notes

FS1	FS2
	

Fastening material

3842555572	2x			
3842555574	1x		1x	
3842555576	2x			
3842544552	2x			
3842544553	1x		1x	
3842544554	2x			

Scope of delivery

Hinge, removable P1=30 P2=30	Includes fastening material (FS), 2 x cover cap
Hinge, removable P1=30 P2=45/60	
Hinge, removable P1=45/60 P2=45/60	
Hinge, removable P1=30 P2=30	
Hinge, removable P1=30 P2=45/60	
Hinge, removable P1=45/60 P2=45/60	

Ordering codes

	Groove	P1	P2		FS	No.
Hinge, removable P1=30 P2=30	8; 10	30	30	2	2xFS1	3842555572
Hinge, removable P1=30 P2=45/60	8; 10	30	45, 60	2	1xFS1, 1xFS2	3842555574
Hinge, removable P1=45/60 P2=45/60	8; 10	45, 60	45, 60	2	2xFS2	3842555576
Hinge, removable P1=30 P2=30	8; 10	30	30	2	2xFS1	3842544552
Hinge, removable P1=30 P2=45/60	8; 10	30	45, 60	2	1xFS1, 1xFS2	3842544553
Hinge, removable P1=45/60 P2=45/60	8; 10	45, 60	45, 60	2	2xFS2	3842544554