



Strut profile 22.5x180



Product description


[Quick & Easy profile finishes](#)
[Introduction to strut profiles](#)

Technical data

[Quick & Easy profile finishes](#)

Dimensions

Strut profile 22.5x180



Ordering codes

The following cover caps are needed:
 22.5x180 signal gray (1 item)
 22.5x180 black (1 item)

	L			ESD	No.
	mm				
Strut profile 22.5x180	50 ... 6070		1		3842990345
Strut profile 22.5x180 D28/-	60 ... 6000		1		3842990346
Strut profile 22.5x180 D28/D28	110 ... 6000		1		3842990347

	L			ESD	No.
	mm				
Strut profile 22.5x180, 6xL=6070mm	6070	6			3842557944
Strut profile 22.5x180 Q&E	80 ... 6070		1		3842993699
Cover cap 22.5x180, signal gray			20		3842548770
Cover cap 22.5x180, black			20		3842548771
Strut profile 22.5x180	6070		1		3842558306

Quick & Easy profile finishes

Standard profile finishing Lmax = 6000 mm (note minimum length) ¹⁾	D9,8 (B,C,D,E,G,H,I) ¹⁾ / D17 (B,C,D,E,G,H,I)
Customized profile finishes (L _{max} = 4900 mm)	DI / DIS / MT / MTS / MI / MIS

1) For the specified slots