




Round tube D28, strut profile D28x55 bracket, T-connector



- For constructing cross-ties in flow racks or workstations
 - Suitable for heavy loads
 - Use of fastening brackets makes for easy assembly
 - Elongated hole in the mounting bracket for length adjustment
 - Central holes can be used for self-tapping screws S8x25
-
- Suitable components for constructing conveyor tracks
 - Holding bracket for round tube D28
 - For fixing a round tube D28 to a strut profile with a 10 mm slot
 - Really simple assembly thanks to easy adjustment of the installation height
 - T-connector for round tube D28
 - For fixing a round tube D28 to a strut profile with a 10 mm slot
 - Without obtruding parts
 - Bracket 85x47x4
 - For fixing a strut profile D28x55 to a strut profile with a 10 mm slot
 - Really simple assembly thanks to easy adjustment of the installation height


Product description




Introduction to strut profiles

Dimensions


Round tube D28




Round tube D28




Holding bracket for round tube D28, bracket 60x47x4




T-connector, cover cap D28




T-connector D28




T-connector, cover cap D28





Strut profile D28x55





Bracket 85x47x4 for strut profile D28x55



Delivery notes

FS1	FS2	FS3
		

Ordering codes



	L			ESD	FS	No.
	mm					
	50 ... 6070	1				3842993317
	6070	20				3842535118
D28 bracket 60 x 47 x 4			20		2xFS1, FS2	3842536002
T-connector D28			20		FS2, FS3	3842532879
Cover cap D28			20			3842532878
Strut profile D28x55, L100-6000	100 ... 6070	1				3842993489
Strut profile D28x55, L6070	6070	20				3842537477
Bracket D28 85 x 47 x 4			20		2xFS1, FS2	3842536730
D28 round tube, L6070	6070		1			3842564212
Strut profile D28x55, L6070	6070		1			3842564214