


## Lifting wheel - rotatable pedal ESD



- Steerable lifting wheel
- The wheel turns into a stable base simply by engaging the lock
- The locking lever moves with the wheel
- The locking lever can be moved under the frame if necessary
- The base is centered under the rotary table

## Dimensions

Technical drawing of a mechanical part, likely a bracket or support, showing dimensions in millimeters. The drawing includes a side view and a top view. Key dimensions include overall length 180mm, width 87.5mm, and various mounting hole positions. A detail view of a threaded hole is shown at the top right, indicating a hole with a diameter of 20.8mm, a thread of M8, and a distance of 8.2mm from the end face. Other dimensions include 160, 125, 92.5, 80, 77.5, 65, 60, 42.5, 20, 12.5, 21, 8.7, and 15mm.

Technical drawing of the 40594 roller assembly, showing three views: side, front, and top.

**Side View Dimensions:**

- Roller diameter: 124
- Roller height: 117
- Mounting bracket height: 119
- Roller label: D80 B = 37

**Front View Dimensions:**

- Roller diameter: 144
- Roller height: 119
- Mounting bracket height: 3,5
- Roller label: D80 B = 37

**Top View Dimensions:**

- Roller diameter: 80
- Roller height: 76
- Roller label: D80 B = 37
- Mounting bracket height: 100
- Mounting bracket width: 9
- Mounting bracket diameter: Ø40

40594

# Accessories

## Required accessories

Screw M8x20 (ISO4762), washer 8 (DIN EN ISO 7089), locking washer 8 FSt for attaching to the screw-on plate

Screw-on plate, lifting wheel 3842553967

Flange head screw similar to ISO 7380-2 10.9 M8x25, however, Torx 40 (tightening torque 25 Nm), T-nut 10 M8, central bolt M12 or S12 for fastening the screw-on plate at the profile frame

## Ordering codes

|                                     | F    |  | ESD                                                                                  | No.        |
|-------------------------------------|------|------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|------------|
|                                     | N    |                                                                                    |                                                                                      |            |
| Screw-on plate, lifting wheel       |      | 4                                                                                  |                                                                                      | 3842553967 |
| Lifting wheel - rotatable pedal ESD | 2300 |                                                                                    |  | 3842562085 |