




Quick connector, bendable – end-to-slot






- For end-to-slot connecting of two profiles at any angle, e.g. for framework constructions
- Profile finishes:
 - blind hole DB11, DB17 or through-hole D11, D17
 - miter cut

Product description




Connection elements, selection criteria

Technical data

				
30x30	1100 N	35 Nm	650 N	40 Nm
40x40L	1500 N	110 Nm	1000 N	80 Nm
45x45L	1500 N	120 Nm	1000 N	95 Nm
45x45	1500 N	140 Nm	1100 N	180 Nm
50x50L	1500 N	150 Nm	1100 N	180 Nm

Dimensions

Quick connector, bendable – end-to-slot



Accessories

Required accessories

Drilling jig

Cap



Quick connector, 6 mm slot,
0°, 90° cover cap

- For the right-angled connecting of two profiles
- Very good accessibility for tools during assembly
- Quick connector for 6 mm slot with square head; can be used as a 0° or 90° connector
- Profile finishing: Blind hole DB8 or through-hole D8

Ordering codes

	Groove	P	a	D	ESD	No.
			mm	mm		
Quick connector, bendable – end-to-slot N8	8	8 / 8	18	11		3842535629
Quick connector, bendable – end-to-slot N10	10	10 / 10	22.5	17		3842535635
Cover cap, quick connector D11				11		3842538563
Cap, quick connector D17				17		3842538564