



Bracket 50/100







- Brackets with centering lugs for rapid, precise assembly with protection against turning
- Centering lugs can be easily broken off for assembly on plates or at right angles to the slot
- Cover cap to protect from dirt, available in signal gray (RAL 7004) and black ESD (RAL 9005)
- Profile finishing: not required

Product description




Connection elements, selection criteria

Technical data

	Groove	ESD	Material entry				
				$F_{\max}$	$M_{\max}$	$M_{\max}$	$M_{\max}$
				N	Nm	Nm	Nm
Bracket	10		Bracket: Diecast aluminum, vibratory ground Fastening material: steel; galvanized	7500	300	600	73
	10		Bracket: Diecast aluminum, vibratory ground	7500	300	600	73
Cover cap for bracket			PP				
			PP				

Dimensions


Bracket 50/100 with cover cap



Accessories

- Recommended accessories
- Cover cap for bracket 50/100, signal gray
 - Cover cap for bracket 50/100, black

Delivery notes

FS7


Ordering codes

	Groove	ESD	No.
Bracket 50x100 set (standard)	10		3842530260
Bracket (standard) 50/100	10		3842530382
Cover cap for bracket 50/100, signal gray			3842548872
Cover cap for bracket 50/100, black			3842548873