


Strut profile 80x120L



Product description

[Quick & Easy profile finishes](#)


[Introduction to strut profiles](#)

Technical data

[Quick & Easy profile finishes](#)

Dimensions

Strut profile 80x120L



Ordering codes

The following cover caps are needed:

80x120 signal gray (1 item)

80x120 black (1 item)

	L			ESD	No.
	mm				
Strut profile 80x120L	50 ... 6070		1		3842993201
Strut profile 80x120L M12/-	60 ... 6000		1		3842993202
Strut profile 80x120L M12/M12	110 ... 6000		1		3842993203
Strut profile 80x120L D17V/D17	80 ... 6000		1		3842993204
Strut profile 80x120L D17V/D17V	90 ... 6000		1		3842993229
Strut profile 80x120L, 4xL=6070mm	6070	4			3842537828
Strut profile 80x120L Q&E	50 ... 6070		1		3842993672
Cover cap 80x120, signal gray			20		3842548792
Cover cap 80x120, black			20		3842548793
Strut profile 80x120L	6070		1		3842529380

Quick&Easy profile finishes

Standard profile finishing Lmax = 6000 mm (note minimum length) ¹⁾	M12 / D9,8 (C,D,E,H,I,J) ¹⁾ / D17 (C,D,E,H,I,J) ¹⁾ / DB17 / F1 (A,F)
Individual profile finishing (L _{max I} = 5400 mm) ²⁾	DI / DIS / MT / MTS / MI / MIS / DG

- 1) For the specified slots
- 2) $DG_{max} = 45^{\circ}$; $L_{min1} / L_{min2} = 439 / 578$ mm