


Strut profile 80x80L



Product description


[Quick & Easy profile finishes](#)
[Introduction to strut profiles](#)

Technical data


[Quick & Easy profile finishes](#)

Dimensions

Section profile AL 80x80 L



Strut profile 80x80L



Ordering codes

The following cover caps can be used:
 Cover cap 80x80, signal gray (1x)
 Cover cap 80x80, black (1x)

	L			ESD	No.
	mm				
Strut profile 80x80L	50 ... 6070		1		3842993133
Strut profile 80x80L M12/-	60 ... 6000		1		3842993134
Strut profile 80x80L M12/M12	110 ... 6000		1		3842993147

	L			ESD	No.
	mm				
Strut profile 80x80L M12/D17	90 ... 6000		1		3842993148
Strut profile 80x80L D17/-	60 ... 6000		1		3842993149
Strut profile 80x80L D17V/D17	80 ... 6000		1		3842993150
Strut profile 80x80L D17V/D17V	80 ... 6000		1		3842993151
Strut profile 80x80L, 6xL=6070mm	6070	6			3842529347
Strut profile 80x80L Q&E	50 ... 6070		1		3842993674
Cover cap 80x80, signal gray			20		3842548750
Mounting hole plug 80x80, black			20		3842548751
Strut profile 80x80L	6070		1		3842529348

Quick & Easy profile finishes

Standard profile finishes (note minimum length)		M12 / D9,8 / D17 / DB17 / F1
Customized profile finishes ($L_{\max} = 5400$ mm) ¹⁾		DI / DIS / MT / MTS / MI / MIS / DG

1) $DG_{\max} = 45^\circ$; $L_{\min1} / L_{\min2} = 439 / 578$ mm