

Power and Network Strip



- Power strip with six grounded plug sockets for attachment to a strut extension (workstations with B = 990 mm)
- Network strip with six grounded plug sockets and USB 3.0 socket, LAN (RJ45) port and USB charger for attachment to a strut extension (workstations with B = 990 mm)

 Assembly instructions

- **Note:** According to **IEC 60364-4-41**: Low-voltage electrical installations – Part 4-41: Protection for safety – Protection against electric shock: 411.3.3 Additional protection In a.c. systems, additional protection by means of a **residual current protective device (RCD)** in accordance with 415.1 shall be provided for – socket-outlets with a rated current not exceeding 20 A that are for use by ordinary persons and are intended for general use.

Product description

Power Strip

- Power strip with six grounded plug sockets for attachment to a strut extension (workstations with B=990mm)
- Suitable for use at ESD workstations

Network Strip


- Network strip with six grounded plug sockets and USB 3.0 socket, LAN (RJ45) port and USB charger for attachment to a strut extension (workstations with B=990mm)
- Suitable for use at ESD workstations

Technical data


		Power strip, switchable input, switchable output, D	Power strip, switchable input, switchable output, F	Power strip, switchable input, switchable output, GB	Power strip, switchable input, switchable output, CH	Power strip, switchable input, switchable output, USA/CAN	Network strip, switchable input, switchable output
Protection type	IP20 (DIN EN IEC 60529)						
Material	Aluminum, anodized; insert: plastic, black						

Dimensions



Power strip, switchable input, switchable output



1) Special country-specific dimensions




Network strip, switchable input, switchable output



Ordering parameter with configurable material number


		3842539850	3842539860	3842539868	3842539876	3842539884	3842552212
--	--	------------	------------	------------	------------	------------	------------

Accessories



Mains cable

- Ready-to-use mains cable: Available in various country versions; for simple, reliable plug-and-play installation with no specialist knowledge required
- For connecting system lamps, socket strips or power strips



Connection Cable

- For cable connections between system lamps economic, socket strips or power strips
- Ready-made in various country versions and lengths

Delivery notes

Scope of delivery

includes insulating fastening material (10 mm slot)

Ordering codes

	L x B x H	No.
Power strip, switchable input, switchable output, D	899 x 44 x 48	3842539850
Power strip, switchable input, switchable output, F	899 x 44 x 48	3842539860
Power strip, switchable input, switchable output, GB	899 x 44 x 48	3842539868
Power strip, switchable input, switchable output, CH	899 x 44 x 59	3842539876
Power strip, switchable input, switchable output, USA/CAN	899 x 44 x 59	3842539884
Network strip, switchable input, switchable output	899 x 52 x 52	3842552212