


Strut profile 90x180L



Product description

[Quick & Easy profile finishes](#)


[Introduction to strut profiles](#)

Technical data

[Quick & Easy profile finishes](#)

Dimensions

Strut profile 90x180L



Ordering codes

The following cover caps are needed:

90x90L signal gray (2 item)

90x90L black (2 item)

	L			ESD	No.
	mm				
Strut profile 90x180L	50 ... 6070		1		3842992857
Strut profile 90x180L M12/-	60 ... 6000		1		3842992858
Strut profile 90x180L M12/M12	110 ... 6000		1		3842992859
Strut profile 90x180L M1/LF, L90-5600	90 ... 6000				3842992860
Strut profile 90x180L D17V/D17V, L90-5600	90 ... 6000				3842992864
Strut profile 90x180L LF/LF, L80-5600	80 ... 6000				3842992861
Strut profile 90x180L, 3xL=5600mm	5600	3			3842516015
Strut profile 90x180L Q&E, L80-5600	80 ... 6070				3842993677
Cover cap 90x90L, signal gray			20		3842548758
Cover cap 90x90L, black			20		3842548759

Standard profile finishing Lmax = 6000 mm (note minimum length) ¹⁾	M12 / D9,8 (C,D,E,F,I,J,K,L) ¹⁾ / D17 (C,D,E,F,I,J,K,L) ¹⁾ / DB17 / F1 (A,G)
Customized profile finishes (L _{max} = 4900 mm) ²⁾	DI / DIS / MT / MTS / MI / MIS / DG

1) For the specified slots

2) $DG_{max} = 30^{\circ}$; $L_{min1} / L_{min2} = 404 / 508$ mm