




Base plate




- Leveling feet for compensating irregularities in the floor up to 10°
 - modular system, various combinations possible
 - spindles and base plates can be combined as desired
 - base plates with screw hole for simple screw fitting to the floor
- Profile finishing: thread M in central hole

Product description



Dimensions

Base plate



Accessories



Bearing ring

- For cover caps with hole in the sizes 40x40, 45x45, 50x50 and 60x60
- For M12 threads
- To protect the caps when tightening accessories

Ordering codes

	F	D		ESD	No.
	N	mm			
Base plate, stainless steel D29	20000	29	20		3842536694
Base plate, stainless steel D39	30000	39	20		3842536695
Base plate, stainless steel D44	30000	44	20		3842536696
Base plate, stainless steel D59	30000	59	20		3842538673
Base plate, stainless steel D79	30000	79	20		3842537206
Base plate, diecast zinc D29	20000	29	20		3842538674
Base plate, diecast zinc D39	30000	39	20		3842538675
Base plate, diecast zinc D44	30000	44	20		3842538676
Base plate, diecast zinc D59	30000	59	20		3842538677
Base plate, diecast zinc D79	30000	79	20		3842538678
Base plate, PA D29	5000	29	20		3842538832
Base plate, PA D39	9000	39	20		3842538833
Base plate, PA D44	9000	44	20		3842538834
Base plate, PA D59	9000	59	20		3842538835
Base plate, PA D79	9000	79	20		3842538836