




Supporting arm joint 45x45, 45x90




- Suitable for swiveling end connections, e.g. for the construction of supporting arms
- Version *designLINE* with special silver paint (RAL 9006) for an especially high-quality design
- Profile finishing: drilling of through-hole D17

Product description




Technical data

No.	Material
3842554424	Supporting arm joint: diecast zinc Fastening material: Steel; zinc-plated Cover cap: PP, signal gray
3842554432	Supporting arm joint designLINE: diecast zinc; painted RAL 9006 Fastening material: Steel; zinc-plated Cover cap: PP, signal gray
3842554426	Supporting arm joint: diecast zinc Fastening material: Steel; zinc-plated Cover cap: PP, signal gray
3842554434	Supporting arm joint designLINE: diecast zinc; painted RAL 9006 Fastening material: Steel; zinc-plated Cover cap: PP, signal gray
3842521263	Supporting arm joint: diecast zinc Fastening material: Steel; zinc-plated Cover cap: PA; black
3842521262	
3842538695	Supporting arm joint designLINE: diecast zinc; painted RAL 9006 Fastening material: Steel; zinc-plated Cover cap: PA; black


Profil		$M_{Max} = F \times L \text{ (Nm)}$
45x45	50	
45x90	150	

Dimensions


Supporting arm joint 45x45 with fastening parts, 10 mm slot



Supporting arm joint 45x45, 45x90



Delivery notes

FS1	
-----	---

Ordering codes

	p	ESD	FS	No.
	mm			
Supporting arm joint 45x45 standard	45		4xFS1	3842554424
Supporting arm joint 45x45 <i>designLINE</i>	45		4xFS1	3842554432
Supporting arm joint 45x90 standard	90		4xFS1	3842554426
Supporting arm joint 45x90 <i>designLINE</i>	90		4xFS1	3842554434
Supporting arm joint 45x45 standard	45		4xFS1	3842521263
Supporting arm joint 45x90 standard	90		4xFS1	3842521262
Supporting arm joint 45x90 <i>designLINE</i>	90		4xFS1	3842538695