

Swivel Work Chair Dynamic Clean



- Adjustment options
 - Seat height
 - Seat angle
 - Seat depth
 - Backrest height– Synchronous technology (synchronous movement of backrest and seat)
 - Weight regulation



Assembly instructions

- Area of application
 - Cleanroom (cleanroom class ISO 4)
 - Electrical and electronic production
 - Conduction resistance: $10^6 \Omega$

Product description

	The product complies with the safety rules and ergonomic requirements for swivel work chairs used in production as defined in DIN 68877
	This product complies with the requirements of the German Equipment and Product Safety Act (GPSG)
	Seat height Seat depth Seat incline Backrest height
	Permanent contact backrest Synchronous movement of backrest and seat Weight regulation for individual adjustment to body weight
	Washable seat and backrest upholstery
	Conductive material version according to DIN EN 61 340-5-1, suitable for ESD-sensitive areas.
	Suitable for cleanrooms according to DIN EN ISO 14 644-1

[Ordering guide](#)

[Healthy seating](#)

Technical data

		kg
3842527161	Seat and backrest: electrically conductive leather; anthracite gray Star chair base: aluminum	120
3842527162		

Ordering codes

	Design	Seat height	ESD	No.
		mm		
Swivel work chair Dynamic clean low	Caster	510 ... 650		3842527161
Swivel work chair Dynamic clean high	Slider	650 ... 910		3842527162