


Strut profile 30x45



Product description


[Quick & Easy profile finishes](#)
[Introduction to strut profiles](#)

Technical data

[Quick & Easy profile finishes](#)

Dimensions

Strut profile 30x45



Ordering codes

The following cover caps can be used:

Cover cap 30x45, signal gray (1x)

Cover cap 30x45, black (1x)

	L			ESD	No.
	mm				
Strut profile 30x45	50 ... 6070		1		3842992430
Strut profile 30x45 M8/-	50 ... 6000		1		3842992431
Strut profile 30x45, 18xL=6070mm	6070	18			3842557203
Strut profile 30x45 Q&E	50 ... 6070		1		3842993710
Cover cap 30x45, signal gray			20		3842548778
Cover cap 30x45, black			20		3842548779
Strut profile 30x45	6070		1		3842557213

Quick&Easy profile finishes

Standard profile finishes (note minimum length) ¹⁾	M8 / D7,8 (A,C) ¹⁾ / D9,8 (B) ¹⁾ / D11 (A,C) ¹⁾ / DB11 / D17 (B)
Customized profile finishes (L _{max} = 5400 mm) ²⁾	DI / DIS / MT / MTS / MI / MIS / DG

- 1) For the specified slots
- 2) $DG_{max} = 45^{\circ}$; $L_{min1} / L_{min2} = 378 / 456$ mm