



Strut profile 45x45 HR



31-426

Product description


[Quick & Easy profile finishes](#)
[Introduction to strut profiles](#)

Technical data

[Quick & Easy profile finishes](#)

Dimensions

Strut profile 45x45 HR



Ordering codes

The following cover caps are needed:
45x45 HR signal gray (1 item)
45x45 HR black (1 item)

	L			ESD	No.
	mm				
Strut profile 45x45 HR	50 ... 6070		1		3842992945
Strut profile 45x45 HR M12/-	60 ... 6000		1		3842993001
Strut profile 45x45 HR M12/M12	110 ... 6000		1		3842992999
Strut profile 45x45 HR, 20xL=6070mm	6070	20			3842557957
Strut profile 45x45 HR Q&E	50 ... 6070		1		3842993736
Cover cap 45x45 HR, signal gray			20		3842548798
Cover cap 45x45 HR, black			20		3842548799
Strut profile 45x45 HR	6070		1		3842558319

Quick&Easy profile finishes

Standard profile finishing Lmax = 6000 mm (note minimum length)		M12 / DB17
Customized profile finishes (L _{max} = 4900 mm) ¹⁾		DI / DIS / MT / MTS / MI / MIS / DG

1) DG_{max} = 45°; L_{min1} / L_{min2} = 378 / 456 mm